

تبييض الأسنان

موافقة العميل :

- أوافق على هذا الإجراء لتبييض الأسنان.
- لقد قرأت نموذج الموافقة هذا وفهمت المخاطر والمسؤوليات والمنافع الموضحة فيه.
- أتيت لي الفرصة لطرح الأسئلة المتعلقة بهذا الإجراء.

يجب توقيع هذه الوثيقة من قبل جميع العملاء قبل التبييض.

توقيع العميل: _____

الاسم: _____

التاريخ: _____

تحفظ في ملف العميل.



Customer Consent

- I consent to the (teeth whitening) procedure.
- I have read this consent form and understand the risks responsibilities and benefits explained.
- I have had the opportunity to ask questions.

**THIS DOCUMENT MUST BE SIGNED BY ALL CLIENTS
PRIOR TO BLEACHING !**

Patient's Signature _ _ _ _ _

Name _ _ _ _ _

Date _ _ _ _ _

To be saved in patient file.

الوصف العام

درجة التبييض تختلف من مريض الى اخر ولكن بصفة عامة الأسنان الصفراء أو البنية والأسنان ذات الصبغات السطحية وذات اللون الداكن الواحد تكون أسهل في عملية التبييض من الأسنان ذات اللون الأزرق أو الرصاص أو الأسنان ذات البقع البيضاء أو الخطوط القائمة داخل الأسنان.

في نظام التبييض نستخدم جل التبييض ذو الفاعلية العالية بالإضافة الى ضوء ذو تردد عالي الذي يعمل على تنشيط مكونات جل التبييض الى درجة التبييض المطلوبة.

لمن تصلح عملية التبييض ؟

- معظم المرضى يمكنهم اجراء عملية التبييض ولكن هناك بعض الحالات لا يصلح لها عملية التبييض
- الأشخاص الذين يعانون من التهابات حادة باللثة.
- الأشخاص الذين لديهم حشوات تجميلية أو تركيبات.
- في حالات تسوس الأسنان أو الأسنان المكسورة أو المتأكلة.
- الأشخاص الذين لديهم تغير طفيف في لون الأسنان
- أسنان بيضاء لدرجة ان عملية التبييض لن تحدث فرقاً كبيراً.
- المرضى أقل من ١٨ سنة لا يصلح.

التعليمات

- الامتناع عن التدخين والمأكولات والمشروبات المسببة للصبغات مثل الشاي القهوة وصلصة الطماطم والخضروات ذات الصبغات لعدة أيام بعد عملية التبييض.
- الامتناع عن التبييض المنزلي بعد عملية التبييض مباشرة

لكن يمكن استعمال التبييض المنزلي بعد أسابيع للمحافظة على درجة التبييض المرغوبة بعد استشارة الطبيب المعالج.

- يرجى مراجعة طبيب الأسنان بصفة دورية.
- إذا كانت لديك أي أسئلة لا تتردد في الاستشارة.

الضمانات:

لا توجد أي ضمانات بالنسبة لدرجة التبييض المتوقعة بالنسبة للأسنان وذلك لان درجة التبييض المتوقعة تختلف من شخص لآخر. وتدوم نتائج التبييض لعدة أشهر فقط.

المخاطر:

- إذا كانت هناك حساسية بالأسنان بعد عملية التبييض فينصح بإستخدام جل الفلورايد لتقليل حساسية الأسنان إذا استمرت الحساسية أكثر من بضع ساعات بعد عملية التبييض فيرجى مراجعة طبيب الأسنان.
- إذا حدث تلامس بين جل التبييض واللثة يمكن أن يسبب آلام اللثة أو ابيضاض اللثة بشكل مؤقت.
- عملية التبييض فعالة فقط في تبييض الاسنان ولكنها لا تغير من لون التيجان أو الحشوات.
- جل التبييض (جل البروكسيد إذا حدث تسرب منه او لامس الشفاه يمكن أن يؤدي الى حساسية وانتفاخ بالشفاه.



Dental Bleaching



General Description

The amount of whitening varies from client to client and cannot be predicted or guaranteed; but in general use:

- Yellow or brown teeth, surface stains, and uniformly darkened teeth are easier to whiten than gray or bluish teeth. Striped or spotted teeth are more difficult to whiten.
- The whitening system uses a high intensity bleaching gel process countered with a LED light, which activates the gel components. This procedure may or may not require additional whitening in order to achieve the desired lightened shade.

Candidates for the Treatment:

- Mostly all clients are potential candidates for the teeth whitening procedure. However, there are few exceptions.
- People with significant periodontal disease.
- People with fillings that maybe breaking down, unfilled cavities, or chipped or worn teeth may be better treated by a restorative procedure first also veneers and crown can't be bleached.
- People with minimal discoloration (teeth that are already very white) may not see a substantial degree of whitening.
- Whitening only for adults more than 18 year old

Helpful Suggestions:

- Avoid the use of tobacco and teeth staining foods and beverages such as tea, coffee, red wine, colas, tomato paste, and dark green vegetables for a few days after the whitening process.
- Avoid using bleaching trays unless you consult with your dentist, you can later use bleaching trays in a few weeks to maintain the results.
- It is recommended you visit your dental office regularly.
- If you have questions or concerns, please ask.

Guarantees:

There are no guarantees as to the degree of whitening of your teeth the amount of whiteness varies with each individual.

The results usually last for few months only.

Risks:

- The materials used in the teeth bleaching process are safe.
- If tooth sensitivity develops, fluoride home care gel can be recommended for reducing sensitivity. If the sensitivity persists for more than several hours, contact your dentist.
- The bleaching gel, if misplaced and comes in contact with the gums, can cause temporary inflammation, white spots and burning sensation of lips and gums This should resolve itself within a few hours.
- Be aware that, (fillings that are breaking down, decay in your teeth, erosion of the teeth, or exposed root surfaces due to periodontal disease), the peroxide gel may have direct access to these affected areas and may cause discomfort.
- The whitening process is very effective at whitening teeth, but will not change the color of fillings or crowns.
- The peroxide gel may have direct access to or leak to the lips, might cause allergic reaction and lips swelling.
- Pulpitis after bleaching may need Rootcanal treatment.

